	Application No.		Applicant(s)	Applicant(s)	
Notice of Allowability	09/689,577 Examiner		EDELMAN, EDWARD C.		
			Art Unit		
	Julio C. Gor	nzalez	2834		
The MAILING DATE of this communication All claims being allowable, PROSECUTION ON THE MERIT herewith (or previously mailed), a Notice of Allowance (PTO NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATE of the Office or upon petition by the applicant. See 37 CFR	ΓS IS (OR REMAIN L-85) or other appr NT RIGHTS. This	 IS) CLOSED in the ropriate communic application is subject 	is application. If not inc	cluded	
1. This communication is responsive to <u>04/15/03</u> .					
2. The allowed claim(s) is/are 1-5,7-12,14,15,25-29,31-36 and 38-41.					
3. The drawings filed on are accepted by the Examiner.					
4. ☐ Acknowledgment is made of a claim for foreign priorit a) ☐ All b) ☐ Some* c) ☐ None of the:					
1. Certified copies of the priority documents have been received.					
2. Certified copies of the priority documents have been received in Application No					
3. Copies of the certified copies of the priority documents have been received in this national stage application from the					
International Bureau (PCT Rule 17.2(a)).					
* Certified copies not received:					
5. Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).					
(a) The translation of the foreign language provisional application has been received.					
6. Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.					
Applicant has THREE MONTHS FROM THE "MAILING DAT below. Failure to timely comply will result in ABANDONMEN 7. A SUBSTITUTE OATH OR DECLARATION must be INFORMAL PATENT APPLICATION (PTO-152) which gives	11 of this applicatio submitted. Note the	n. THIS THREE- e attached EXAMI	MONTH PERIOD IS N	OT EXTENDABLE	
8. CORRECTED DRAWINGS must be submitted. (a) including changes required by the Notice of Draft 1) hereto or 2) to Paper No. (b) including changes required by the proposed draw (c) including changes required by the attached Example.	sperson's Patent E	Drawing Review(f	PTO-948) attached as been approved by th	ne Examiner. per No	
Identifying indicia such as the application number (see 37 C of each sheet. The drawings should be filed as a separate p	FR 1.84(c)) should to paper with a transmi	oe written on the di ttal letter addresse	rawings in the top marg d to the Official Draftsp	in (not the back) erson.	
9. DEPOSIT OF and/or INFORMATION about the dattached Examiner's comment regarding REQUIREMENT FO	leposit of BIOLOG OR THE DEPOSIT	GICAL MATERIA OF BIOLOGICAL	AL must be submitte MATERIAL.	d. Note the	
Attachment(s)					
 1 ☐ Notice of References Cited (PTO-892) 3 ☐ Notice of Draftperson's Patent Drawing Review (PTO-94) 5 ☐ Information Disclosure Statements (PTO-1449), Paper N 7 ☐ Examiner's Comment Regarding Requirement for Depos of Biological Material 	it.	4☐ Interview Su 6⊠ Examiner's A	ormal Patent Application mmary (PTO-413), Pa Amendment/Comment Statement of Reasons for	per No	

Application/Control Number: 09/689,577

Art Unit: 2834

DETAILED ACTION

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Virgil Beaston on June 9, 2003.

The application has been amended as follows:

A) In claim 9, line 1, change "6" into --- 1 ----.

2. The following is an examiner's statement of reasons for allowance: The prior art discloses a control system for a turbogenerator having plurality of turbogenerators, a controller, a system bus, switches, power meter and a junction box and a master controller. However, the prior art fails to show, in combination with the invention, having a plurality of individual turbogenerators, each having its own controller and the controllers being connected to a command and control system bus, a plurality of disconnected switches, each switch provided in each

operable connection of an individual turbogenerator controller to command and control the bus. Moreover, a bi-directional power meter and a master controller control the operational sequencing of the individual turbogenerators in a selected control mode and a junction box is connected to an electric utility, power meter, output of plurality of individual turbogenerators and a load wherein the operational sequencing includes the starting, stopping and loading of each of plurality of individual turbogenerators and wherein a turbogenerator is automatically restarted in the event of a fault shutdown.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Julio C. Gonzalez whose telephone number is (703) 305-1563. The examiner can normally be reached on M-F (8AM-5PM).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nestor Ramirez can be reached on (703) 308-1371. The fax phone numbers for the organization where this application or proceeding is assigned are (703) 308-7722 for regular communications and (703) 308-7722 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0956.

Jcg

June 9, 2003